

BioCeuticals Research & Development Analytical Laboratory

Division of All American Pharmaceutical & Natural Foods Corporation

2376 Main Street

Billings, MT 59105 U.S.A.

406-245-5793 EXT 208 Fax: 406-238-1846

E Mail: cherieh@allamericanpharmaceutical.com

www.allamericanpharmaceutical.com

Certificate of Analysis

Customer	AAEFX	Item	Test Charge Liquid	Date	June 7, 2011
Product Code	CO# L153	Lot Number	1232400		
Amount/Container	60 ml	Shelf Life	36 months		
Manufacture Date	June 2011	Expire Date	May 2014		
Manufacture: All American Pharmaceutical, 2376 Main Street, Billings, MT 59105					
Storage: Store in a cool, dry place out of the reach of children.					
TEST	TESTING METHOD	SPECIFICATION	RESULTS		
1) Assay (dry basis)	HPLC/FTNIR	95.0% min	>98.0%		
Active Ingredients: (per 2ml)					
a 150 mg proprietary blend consisting of: Taxadral® <i>Containing:</i> Taxanes & Taxoids Flavonoids-Flavonols Quercetin Rhammetin Sciadopitysin Kaempferol Amentoflavone Sequoiaflavone Sotetsuflavone Ginkgetin Taxifolin Steroids-Phytosterols Beta-Sitosterol Daucosterol Ponasterone Corynine		Lignans Lariciresinol Taxinresinol Carotenoids Xanthophyll Zeaxanthin Violaxantin Neoxanthin Eschsoltzaxanthone Phenols Betuligneol Benzenoid Rhododendrol 20-Hydroxy Ecdysterone 7-Methoxy-5-methyl-3-phenyl-chromen-4-one 4-Hydroxy-3-methoxycinnamic acid			
Inactive Ingredients:		purified water, glycerine, citric acid, natural flavors, & potassium sorbate			
2) Heavy Metals:					
Lead (PB)	ICP	<10ppm	<10ppm		
Cadmium (CD)	ICP	<1ppm	<1ppm		
Arsenic (AS)	ICP	<1ppm	<1ppm		

Mercury (HG)	ICP	<1ppm	<1ppm
Lithium (Li)	ICP	<100ppb	<100ppb
Sodium (Na)	ICP	<100ppb	<100ppb
Potassium (K)	ICP	<100ppb	<100ppb
Rubidium (Rb)	ICP	<100ppb	<100ppb
Cesium (Cs)	ICP	<100ppb	<100ppb
Beryllium (Be)	ICP	<100ppb	<100ppb
Magnesium (Mg)	ICP	<100ppb	<100ppb
Calcium (Ca)	ICP	<100ppb	<100ppb
Strontium	ICP	<100ppb	<100ppb
Barium (Ba)	ICP	<100ppb	<100ppb
Scandium (Sc)	ICP	<100ppb	<100ppb
Yttrium (Y)	ICP	<100ppb	<100ppb
Lutetium (Lu)	ICP	<100ppb	<100ppb
Titanium (Ti)	ICP	<100ppb	<100ppb
Zirconium (Zr)	ICP	<100ppb	<100ppb
Hafnium (Hf)	ICP	<100ppb	<100ppb
Vanadium (V)	ICP	<100ppb	<100ppb
Niobium(Nb)	ICP	<100ppb	<100ppb
Tantalum (Ta)	ICP	<100ppb	<100ppb
Chromium (Cr)	ICP	<100ppb	<100ppb
Molybdenum(Mo)	ICP	<100ppb	<100ppb
Tungsten (W)	ICP	<100ppb	<100ppb
Manganese (Mn)	ICP	<100ppb	<100ppb
Technetium (Tc)	ICP	<100ppb	<100ppb
Rhenium (Re)	ICP	<100ppb	<100ppb
Cobalt (Co)	ICP	<100ppb	<100ppb
Rhodium (Rh)	ICP	<100ppb	<100ppb
Iridium (Ir)	ICP	<100ppb	<100ppb
Nickel (Ni)	ICP	<100ppb	<100ppb
Palladium (Pd)	ICP	<100ppb	<100ppb
Platinum (Pt)	ICP	<100ppb	<100ppb
Copper (Cu)	ICP	<100ppb	<100ppb

Silver (Ag)	ICP	<100ppb	<100ppb
Gold (Au)	ICP	<100ppb	<100ppb
Zinc (Zn)	ICP	<100ppb	<100ppb
Boron (B))	ICP	<100ppb	<100ppb
Aluminum (Al)	ICP	<100ppb	<100ppb
Gallium (Ga)	ICP	<100ppb	<100ppb
Indium (In)	ICP	<100ppb	<100ppb
Thallium (Tl)	ICP	<100ppb	<100ppb
Carbon (C)	ICP	<100ppb	<100ppb
Silicon (Si)	ICP	<100ppb	<100ppb
Germanium (Ge)	ICP	<100ppb	<100ppb
Tin (Sn)	ICP	<100ppb	<100ppb
Phosphorus (P)	ICP	<100ppb	<100ppb
Antimony (Sb)	ICP	<100ppb	<100ppb
Bismuth (Bi)	ICP	<100ppb	<100ppb
Selenium(Se)	ICP	<100ppb	<100ppb
Tellurium (Te)	ICP	<100ppb	<100ppb
Stainless Steel	ICP	<100ppb	<100ppb
Lanthanum (La)	ICP	<100ppb	<100ppb
Cerium (Ce)	ICP	<100ppb	<100ppb
Praseodymium (Pr)	ICP	<100ppb	<100ppb
Neodymium (Nd)	ICP	<100ppb	<100ppb
Promethium (Pm)	ICP	<100ppb	<100ppb
Samarium (Sm)	ICP	<100ppb	<100ppb
Europium (Eu)	ICP	<100ppb	<100ppb
Gadolinium (Gd)	ICP	<100ppb	<100ppb
Terbium (Tb)	ICP	<100ppb	<100ppb
Dysprosium (Dy)	ICP	<100ppb	<100ppb
Holmium (Ho)	ICP	<100ppb	<100ppb
Erbium (Er)	ICP	<100ppb	<100ppb
Thulium (Tm)	ICP	<100ppb	<100ppb
Ytterbium (Yb)	ICP	<100ppb	<100ppb
7) Contaminant Testing			

4-estrene-3 β ,17 β -diol	GC-MS	0/g	0/g
4-androstene-3 β ,17 β -diol	GC-MS	0/g	0/g
5 α -androstane-3 β ,17 β -diol	GC-MS	0/g	0/g
5(6)-androstene-3 β ,17 β -diol	GC-MS	0/g	0/g
5(10)-estrene-3 β ,17 β -diol	GC-MS	0/g	0/g
Dehydroepiandrosterone (DHEA)	GC-MS	0/g	0/g
5 α -androstane-3,17-dione	GC-MS	0/g	0/g
5(x)-estrene-3,17-dione	GC-MS	0/g	0/g
Nandrolone	GC-MS	0/g	0/g
1,4-androstadiene-3,17-dione	GC-MS	0/g	0/g
5(x)-androstadien-3,17-dione	GC-MS	0/g	0/g
Testosterone	GC-MS	0/g	0/g
3) Stimulant Screen	GC-MS/ HPLC	0/g	0/g
Microbiological			
A) Total Plate Count	USP	<5000 cfu/g	<5000 cfu/g
B) Yeast/ Mold	USP	<50 cfu/g	<50 cfu/g
C) Coliform/ E.coli	USP	<10 cfu/g	<10 cfu/g
D) Listeria	USP	Negative/g	0/g
E) Yeast/Mold	USP	Negative/g	0/g
4) Country of Origin	Made in USA		

Certification Statement

All products manufactured by All American Pharmaceutical are free from irradiation and are GMO free.

I hereby certify that the above information is authentic and accurate. This batch of product has been manufactured, including packaging and quality control at the above-mentioned site in full compliance with the Food & Drug Administration (FDA of the United States of America) requirements of the local regulatory authority.

Cherie Heid
Cherie Heid
QC Director

BioCeuticals Research & Development Analytical Laboratory

Division of All American Pharmaceutical & Natural Foods Corporation

2376 Main Street

Billings, MT 59105 U.S.A.

406-245-5793 EXT 208 Fax: 406-238-1846

E Mail: marciam@allamericanpharmaceutical.com

www.allamericanpharmaceutical.com

Certificate of Analysis

Customer	All American EFX	Item	Anti-Armoatase	Date	June 21, 2011
Product Code	CO# T120	Lot Number	1233000		
Amount/Container	30 capsules	Shelf Life	36 months		
Manufacture Date	June 2011	Expire Date	May 2014		
Manufacture: All American Pharmaceutical, 2376 Main Street, Billings, MT 59105					
Storage: Store in a cool, dry place out of the reach of children.					
TEST	TESTING METHOD	SPECIFICATION	RESULTS		
1) I.D.	FTNIR	Characteristic	Conforms		
2) Solution	SENSORY	Light Yellow Powder	Light Yellow		
3) Assay (dry basis)	HPLC/FTNIR	95.0% min	99.0%		
Active Ingredients (per 1 tablet) A proprietary blend of 177 mg of: 5,7-Di-2-phenyl-4H-1-benzopyran-4-one 3-Indolemethanol Diindolymethane Hexahydroxycholest-7-en-6-one 7-methoxy-5-methyl-1-benzopyran-4-one Boron Proteinate DHB Bioperine® Black Pepper Extract		Genistein Family Genistein Genistin 6"-O Acetylgenistin 6"-O Malonylgenistin			
Daidzein Family Daidzein Daidzin 6"-O Acetyldaidzin 6"-O Malonyldaidzin		Glycitein Family Glycitein Glycetin 6"-O Acetylglycitin 6"-O Malonylglycitin			
Other Ingredients		Sorbitol, Microcrystalline Cellulose, HydroxyPropyl Methyl Cellulose, Prosolve, Croscarmellose Sodium, Silicon Dioxide, Magnesium Stearate.			
4) Residue of Ignition	USP	<1	Passes		
5) Moisture	USP	3-7%	Passes		
5) Heavy Metals:					
Lead (PB)	ICP	<10ppm	<10ppm		
Cadmium (CD)	ICP	<1ppm	<1ppm		

Arsenic (AS)	ICP	<1ppm	<1ppm
Mercury (HG)	ICP	<1ppm	<1ppm
Lithium (Li)	ICP	<100ppb	<100ppb
Sodium (Na)	ICP	<100ppb	<100ppb
Potassium (K)	ICP	<100ppb	<100ppb
Rubidium (Rb)	ICP	<100ppb	<100ppb
Cesium (Cs)	ICP	<100ppb	<100ppb
Beryllium (Be)	ICP	<100ppb	<100ppb
Magnesium (Mg)	ICP	<100ppb	<100ppb
Calcium (Ca)	ICP	<100ppb	<100ppb
Strontium	ICP	<100ppb	<100ppb
Barium (Ba)	ICP	<100ppb	<100ppb
Scandium (Sc)	ICP	<100ppb	<100ppb
Yttrium (Y)	ICP	<100ppb	<100ppb
Lutetium (Lu)	ICP	<100ppb	<100ppb
Titanium (Ti)	ICP	<100ppb	<100ppb
Zirconium (Zr)	ICP	<100ppb	<100ppb
Hafnium (Hf)	ICP	<100ppb	<100ppb
Vanadium (V)	ICP	<100ppb	<100ppb
Niobium(Nb)	ICP	<100ppb	<100ppb
Tantalum (Ta)	ICP	<100ppb	<100ppb
Chromium (Cr)	ICP	<100ppb	<100ppb
Molybdenum(Mo)	ICP	<100ppb	<100ppb
Tungsten (W)	ICP	<100ppb	<100ppb
Manganese (Mn)	ICP	<100ppb	<100ppb
Technetium (Tc)	ICP	<100ppb	<100ppb
Rhenium (Re)	ICP	<100ppb	<100ppb
Cobalt (Co)	ICP	<100ppb	<100ppb
Rhodium (Rh)	ICP	<100ppb	<100ppb
Iridium (Ir)	ICP	<100ppb	<100ppb
Nickel (Ni)	ICP	<100ppb	<100ppb
Palladium (Pd)	ICP	<100ppb	<100ppb
Platinum (Pt)	ICP	<100ppb	<100ppb

Copper (Cu)	ICP	<100ppb	<100ppb
Silver (Ag)	ICP	<100ppb	<100ppb
Gold (Au)	ICP	<100ppb	<100ppb
Zinc (Zn)	ICP	<100ppb	<100ppb
Boron (B))	ICP	<100ppb	<100ppb
Aluminum (Al)	ICP	<100ppb	<100ppb
Gallium (Ga)	ICP	<100ppb	<100ppb
Indium (In)	ICP	<100ppb	<100ppb
Thallium (Tl)	ICP	<100ppb	<100ppb
Carbon (C)	ICP	<100ppb	<100ppb
Silicon (Si)	ICP	<100ppb	<100ppb
Germanium (Ge)	ICP	<100ppb	<100ppb
Tin (Sn)	ICP	<100ppb	<100ppb
Phosphorus (P)	ICP	<100ppb	<100ppb
Antimony (Sb)	ICP	<100ppb	<100ppb
Bismuth (Bi)	ICP	<100ppb	<100ppb
Selenium(Se)	ICP	<100ppb	<100ppb
Tellurium (Te)	ICP	<100ppb	<100ppb
Stainless Steel	ICP	<100ppb	<100ppb
Lanthanum (La)	ICP	<100ppb	<100ppb
Cerium (Ce)	ICP	<100ppb	<100ppb
Praseodymium (Pr)	ICP	<100ppb	<100ppb
Neodymium (Nd)	ICP	<100ppb	<100ppb
Promethium (Pm)	ICP	<100ppb	<100ppb
Samarium (Sm)	ICP	<100ppb	<100ppb
Europium (Eu)	ICP	<100ppb	<100ppb
Gadolinium (Gd)	ICP	<100ppb	<100ppb
Terbium (Tb)	ICP	<100ppb	<100ppb
Dysprosium (Dy)	ICP	<100ppb	<100ppb
Holmium (Ho)	ICP	<100ppb	<100ppb
Erbium (Er)	ICP	<100ppb	<100ppb
Thulium (Tm)	ICP	<100ppb	<100ppb
Ytterbium (Yb)	ICP	<100ppb	<100ppb

6) Contaminant Testing			
4-estrene-3 β ,17 β -diol	GC-MS	0/g	0/g
4-androstene-3 β ,17 β -diol	GC-MS	0/g	0/g
5 α -androstane-3 β ,17 β -diol	GC-MS	0/g	0/g
5(6)-androstene-3 β ,17 β -diol	GC-MS	0/g	0/g
5(10)-estrene-3 β ,17 β -diol	GC-MS	0/g	0/g
Dehydroepiandrosterone (DHEA)	GC-MS	0/g	0/g
5 α -androstane-3,17-dione	GC-MS	0/g	0/g
5(x)-estrene-3,17-dione	GC-MS	0/g	0/g
Nandrolone	GC-MS	0/g	0/g
1,4-androstadiene-3,17-dione	GC-MS	0/g	0/g
5(x)-androstadien-3,17-dione	GC-MS	0/g	0/g
Testosterone	GC-MS	0/g	0/g
7) Stimulant Screen	GC-MS/ HPLC	0/g	0/g
Microbiological			
A) Total Plate Count	USP	<5000 cfu/g	<5000 cfu/g
B) Yeast/ Mold	USP	<50 cfu/g	<50 cfu/g
C) Coliform/ E.coli	USP	<10 cfu/g	<10 cfu/g
D) Listeria	USP	Negative/g	0/g
E) Yeast/Mold	USP	Negative/g	0/g
8) Country of Origin	Made in USA		

Certification Statement

All products manufactured by All American Pharmaceutical are free from irradiation and are GMO free.

I hereby certify that the above information is authentic and accurate. This batch of product has been manufactured, including packaging and quality control at the above-mentioned site in full compliance with the Food & Drug Administration (FDA of the United States of America) requirements of the local regulatory authority.

Marcia Mickulin

Marcia Mickulin
QC Assistant

